INDEX TO AUTHORS

A

Andrews, James C. Reduction of certain sulfur compounds to hydrogen sulfide by the intestinal microorganisms of the dog, 687

Antaki, Albert. See KERR and ANTAKI, 49

Avrin, Ira. See BERNSTEIN, JONES, ERICKSON, WILLIAMS, AVRIN, and MACY, 507

—. See ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY, 515

B

Babbitt, Dorothea. See MARSHALL, 263

Baernstein, Harry D. The nutritional value of various protein fractions of the peanut, 781

Balls, A. K., Matlack, M. B., and Tucker, I. W. The hydrolysis of glycerides by crude pancreas lipase, 125

Beach, Eliot F. See WHITE and BEACH, 219

Bergmann, Max. Complex salts of amino acids and peptides. III. Salts of dioxalatodipyridinochromiato acid (dioxpyridic acid) and dioxalatodianilinochromiato acid (dioxanilic acid), 569

Bergmann, Max, and Niemann, Carl. On the structure of silk fibroin, 577

Bernstein, Samuel S., Jones, Robert L., Erickson, Betty Nims, Williams, Harold H., Avrin, Ira, and Macy, Icie G. A method for the preparation of posthemolytic residue or stroma of erythrocytes, 507

—. See ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY, 515

Bibler, Walter G. See EICHELBERGER, 323

Block, Richard J. See JACKSON and BLOCK, 425

Boyd, Eldon M., and Stevenson, J. W. The regeneration of blood lipids following a single massive hemorrhage in rabbits, 147

Boyden, Ruth, and Potter, V. R. On the form of copper in blood plasma, 285

Brown, W. L. The influence of pimiento pigments on the color of the egg yolk of fowls, 655

Butler, Allan M. See MINDLIN and BUTLER, 673

C

Campbell, Harold A., and Link, Karl Paul. Acetals in the

sugar group. I. The dimethyl acetal of *d*-galactose, 635

Carpenter, Thorne M. The partition of urinary nitrogen of fasting and hibernating woodchucks (*Arctomys monax*), 343

Carter, Herbert E. See West and Carter, 611

—. See West, Krummel, and Carter, 605

Chaikoff, I. L. See Lorenz, Entenman, and Chaikoff, 619

—. See Perlman, Ruben, and Chaikoff, 169

Chargaff, Erwin, and **Olson, Kenneth B.** Studies on the chemistry of blood coagulation. VI. Studies on the action of heparin and other anticoagulants. The influence of protamine on the anticoagulant effect *in vivo*, 153

Christman, Clarence C. See Levene and Christman, 203, 661

Corey, Edward L. See Ehrenstein and Corey, 297

Corley, Ralph C. See Snyder and Corley, 491

Craig, Lyman C. See Jacobs and Craig, 419

D

Doty, J. R., and **Eaton, A. G.** Metabolism of the basic amino acids. I. Rates of absorption in rats of the monohydrochlorides of *d*-lysine and *l*-histidine, 139

E

Eaton, A. G. See Doty and Eaton, 139

Ehrenstein, Maximilian, and **Corey, Edward L.** Activation of testosterone by higher fatty acids and their acid sodium salts, 297

Eichelberger, Lillian. The exchange of salt and water between muscle and blood. IV. Correction of values for volume phases of skeletal muscle. Methods for determination of blood volume in muscle, 323

Elvehjem, C. A. See Schantz, Elvehjem, and Hart, 381

Emerson, Gladys A. See Emerson, Emerson, Mohammad, and Evans, 99

Emerson, Oliver H., Emerson, Gladys A., Mohammad, Ali, and **Evans, Herbert M.** The chemistry of vitamin E. Tocopherols from various sources, 99

Entenman, C. See Lorenz, Entenman, and Chaikoff, 619

Erickson, Betty Nims, Williams, Harold H., Bernstein, Samuel S., Avrin, Ira, Jones, Robert L., and **Macy, Icie G.** The lipid distribution of posthemolytic residue or stroma of erythrocytes, 515

—. See Bernstein, Jones, Erickson, Williams, Avrin, and Macy, 07

Evans, Herbert M. See Emerson, Emerson, Mohammad, and Evans, 99

Evelyn, Kenneth A., and **Gibson, John G., 2nd.** A new type of absorption cell for the photoelectric microcolorimeter, 391

—. See MALLOY and EVELYN, 597

G

Gersdorff, Charles E. F. See JONES, GERSDORFF, and PHILLIPS, 745

Gibson, John G., 2nd. See EVELYN and GIBSON, 391

Gildea, Edwin F. See MAN and GILDEA, 77

Goebel, Walther F. Derivatives of glucuronic acid. VIII. The structure of benzoylglucuronic acid, 649

Goerner, Alfred. Effect of dibenzanthracene on vitamin A and total lipid of mitochondria, 529

Graham, W. R., Jr. The utilization of lactic acid by the lactating mammary gland, 1

—, **Peterson, V. E., Houchin, O. B.**, and **Turner, C. W.** The utilization of fractions of the nitrogen partition of the blood by the active mammary gland, 275

Greenberg, David M. See TUFTS and GREENBERG, 693, 715

H

Harrer, Carter J. See STOTZ, HARRER, SCHULTZE, and KING, 407

Hart, E. B. See SCHANTZ, ELVEHJEM, and HART, 381

Hartzler, Eva R. A note on the determination of potassium by the method of Shohl and Bennett, 19

Hess, W. C. See SULLIVAN and HESS, 11

Heymann, Walter. Metabolism and mode of action of vitamin D. IV. Importance of bile in the absorption and excretion of vitamin D, 249

—. V. Intestinal excretion of vitamin D, 257

Hilditch, T. P., and **Longenecker, H. E.** Further determination and characterization of the component acids of butter fat, 497

Hirschmann, H., and **Wintersteiner, Oskar.** The isolation of estrogenic diols from the urine of pregnant mares, 303

Houchin, O. B. See GRAHAM, PETERSON, HOUCHIN, and TURNER, 275

I

Iob, Vivian, and **Swanson, W. W.** The extracellular and intracellular water in bone and cartilage, 485

Irish, Oliver J. See DU VIGNEAUD and IRISH, 349

J

Jackson, Elizabeth B. See MORISON, MCLEAN, and JACKSON, 439

Jackson, Richard W., and **Block, Richard J.** The metabolism of cystine and methionine. II. The availability of *d*- and *l*-methionine and their formyl

derivatives in the promotion of growth, 425

Jacobs, Walter A., and **Craig, Lyman C.** The ergot alkaloids. XIII. The precursors of pyruvic and isobutyrylformic acids, 419

Johnson, Marvin J. Specificity of intestinal aminopolypeptidase, 89

Jones, D. Breese, Gersdorff, Charles E. F., and **Phillips, Sammie.** Proteins of the black bean of the Mayas, *Phaseolus vulgaris*, 745

Jones, Robert L. See Bernstein, Jones, Erickson, Williams, Avrin, and Macy, 507

—. See Erickson, Williams, Bernstein, Avrin, Jones, and Macy, 515

K

Kerr, Stanley E. Note on the phosphorus content of rat brain in experimental rickets, 53

— and **Antaki, Albert.** The carbohydrate metabolism of brain. V. The effect of certain narcotics and convulsant drugs upon the carbohydrate and phosphocreatine content of rabbit brain, 49

Keston, Albert S., Rittenberg, D., and **Schoenheimer, Rudolf.** Determination of deuterium in organic compounds, 227

King, C. G. See Schultze, Stotz, and King, 395

—. See Stotz, Harrer, Schultze, and King, 407

Kochakian, Charles D., MacLachlan, P. L., and **McEwen, H. Douglas.** Do androgens affect the blood lipids? 433

Koepfli, J. B., Thimann, Kenneth V., and **Went, F. W.** Phytohormones: structure and physiological activity. I, 763

Kreider, Leonard C. See Levene, Tipson, and Kreider, 199

Krummel, Guy S. See West, Krummel, and Carter, 605

Kuna, Martin. See Levene and Kuna, 291

Kurtz, Alton C. A simple synthesis of *dl*-citrulline, 477

L

Levene, P. A., and **Christman, Clarence C.** Conversion of uronic acids into corresponding hexoses. III. Catalytic reduction and deacetylation of the methyl ester of 2,3,4-triacetyl α-methyl-*d*-galacturonide, 203

— and —. IV. Catalytic reduction of the methyl ester of diacetone *d*-galacturonic acid, 661

— and **Kuna, Martin.** The configurational relationship of 3-aminoheptane to that of norleucine, 291

—, **Tipson, R. Stuart**, and **Kreider, Leonard C.** Conversion of uronic acids into corresponding hexoses. II. Catalytic reduction of the methyl ester of 2,3,4-trimethyl α-methyl-*d*-galacturonide, 199

Lineweaver, Hans. The solubility and chemical and physical absorption of nitrogen gas in *Azotobacter* cells, 549

Link, Karl Paul. See CAMPBELL and LINK, 635

Longenecker, H. E. See HILDITCH and LONGENECKER, 497

Lorenz, F. W., Entenman, C., and **Chaikoff, I. L.** The influence of age, sex, and ovarian activity on the blood lipids of the domestic fowl, 619

M

MacLachlan, P. L. See KOCHAKIAN, MACLACHLAN, and MCEWEN, 433

Macy, Icie G. See BERNSTEIN, JONES, ERICKSON, WILLIAMS, AVRIN, and MACY, 507

—. See ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY, 515

Malloy, Helga Tait, and **Evelyn, Kenneth A.** Oxidation method for bilirubin determinations in bile and meconium with the photoelectric colorimeter, 597

Man, Evelyn B., and **Gildea, Edwin F.** Notes on the extraction and saponification of lipids from blood and blood serum, 77

Marshall, E. K., Jr. Determination of sulfanilamide in blood and urine, 263

Matlack, M. B. See BALLS, MATLACK, and TUCKER, 125

Mattill, H. A. See SCHULTZ and MATTILL, 183

McEwen, H. Douglas. See KOCHAKIAN, MACLACHLAN, and MCEWEN, 433

McLean, Regina. See MORISON, MCLEAN, and JACKSON, 439

Miller, Max. The diffusible calcium of serum and transudates *in vivo*, 59

—. Ionized calcium of serum and transudates *in vivo*, 71

Mindlin, Rowland L., and **Butler, Allan M.** The determination of ascorbic acid in plasma; a macromethod and micromethod, 673

Mohammad, Ali. See EMERSON, EMERSON, MOHAMMAD, and EVANS, 99

Morison, Robert S., McLean, Regina, and **Jackson, Elizabeth B.** Observations on the relation between ionized and total calcium in normal and abnormal sera and their ultrafiltrates, 439

Moyer, Laurence S. Electrokinetic aspects of surface chemistry. III. A comparison of the microscopic and moving boundary methods of electrophoresis, 641

N

Niemann, Carl. See BERGMANN and NIEMANN, 577

O

Olson, Kenneth B. See CHARGAFF and OLSON, 153

P

Perlman, I., Ruben, S., and **Chaikoff, I. L.** Radioactive

phosphorus as an indicator of phospholipid metabolism. I. The rate of formation and destruction of phospholipids in the fasting rat, 169

Peterson, V. E. See GRAHAM, PETERSON, HOUCHIN, and TURNER, 275

Peterson, W. H. See WOOLLEY and PETERSON, 207, 213

Phillips, Sammie. See JONES, GERSDORFF, and PHILLIPS, 745

Potter, V. R. See BOYDEN and POTTER, 285

R

Richards, Marianna M. The effect of glycine upon the activity coefficient of glycine, egg albumin, and carboxyhemoglobin, 727

Rittenberg, D. See KESTON, RITTENBERG, and SCHOENHEIMER, 227

Ruben, S. See PERLMAN, RUBEN, and CHAIKOFF, 169

S

Salomon, Kurt. See STERN and SALOMON, 461

Schantz, E. J., Elvehjem, C. A., and **Hart, E. B.** The relation of fat to the utilization of lactose in milk, 381

Schmidt, E. G. The determination of sulfanilamide in tungstic acid blood filtrates by means of sodium β-naphthoquinone-4-sulfonate, 757

Schoenheimer, Rudolf. See KESTON, RITTENBERG, and SCHOENHEIMER, 227

Schultz, Harold W., and **Mattill, H. A.** Studies on the vitamin B complex, 183

Schultze, M. O., Stotz, Elmer, and **King, C. G.** Studies on the reduction of dehydroascorbic acid by guinea pig tissues, 395

—. See STOTZ, HARRER, SCHULTZE, and KING, 407

Scudi, John V. The determination of sulfanilamide (p-aminobenzenesulfonamide) in biological media, 539

Sklersky, Samuel. See SOBEL and SKLERSKY, 665

Smith, Elizabeth R. B. See SMITH, TAYLOR, and SMITH, 109

Smith, Paul K., Taylor, Alice C., and **Smith, Elizabeth R. B.** Thermodynamic properties of solutions of amino acids and related substances. III. The ionization of aliphatic amino acids in aqueous solution from one to fifty degrees, 109

Snyder, Fred H., and **Corley, Ralph C.** Amino acid catabolism. V. The influence of structural configuration on the deamination of α-amino acids in the normal dog, 491

Snyder, J. C. A note on the use of the Haldane apparatus for the analysis of gases containing ether vapor, 21

Sobel, Albert E., and **Sklersky, Samuel.** A direct acidimetric microtitration method for calcium, 665

Stekol, Jakob A. Studies on the mercapturic acid synthesis in animals. VII. Bromobenzene and *l*-cystine in relation to growth of rats on a navy bean meal diet, 55

—. VIII. *l*-Cystine, *dl*-methionine, glutathione, and taurine in relation to the synthesis of mercapturic acids in the rat, 333

Stern, Kurt G., and **Salomon, Kurt.** On ovoverdin, the carotenoid-protein pigment of the egg of the lobster, 461

— and **White, Abraham.** Studies on the constitution of insulin. III. The acetylation of insulin by ketene, 371

Stevenson, J. W. See Boyd and Stevenson, 147

Stotz, Elmer, Harrer, Carter J., Schultze, M. O., and **King, C. G.** The oxidation of ascorbic acid in the presence of guinea pig liver, 407

—. See Schultze, Stotz, and King, 395

Sullivan, M. X., and **Hess, W. C.** The effect of pyruvic acid on the estimation of cystine and cysteine, 11

Swanson, W. W. See Iob and Swanson, 485

T

Taylor, Alice C. See Smith, Taylor, and Smith, 109

Thimann, Kenneth V. See Koepfli, Thimann, and Went, 763

Tipson, R. Stuart. See Levene, Tipson, and Kreider, 199

Toennies, Gerrit. Oxidation of cysteine in non-aqueous media. The "sulfenic acid" as the primary oxidation product, 27

Tucker, I. W. See Balls, Matlack, and Tucker, 125

Tufts, Elma V., and **Greenberg, David M.** The biochemistry of magnesium deficiency. I. Chemical changes resulting from magnesium deprivation, 693

— and —. II. The minimum magnesium requirement for growth, gestation, and lactation, and the effect of the dietary calcium level thereon, 715

Turner, C. W. See Graham, Peterson, Houchin, and Turner, 275

V

du Vigneaud, Vincent, and **Irish, Oliver J.** The rôle of the acetyl derivative as an intermediary stage in the biological synthesis of amino acids from keto acids, 349

W

Wald, George, and **Zussman, Hyman.** Carotenoids of the chicken retina, 449

Went, F. W. See Koepfli, Thimann, and Went, 763

West, Harold D., and **Carter, Herbert E.** Synthesis of α-amino-β-hydroxy-*n*-butyric acids. VI. Preparation of *d*-

and *l*-allothreonine and nutritive value of the four isomers, 611

West, Harold D., Krummel, Guy S., and **Carter, Herbert E.** Synthesis of α-amino-β-hydroxy-*n*-butyric acids. V. Preparation of *dl*-allothreonine, with notes concerning the addition of methyl hypobromite to unsaturated acids, 605

White, Abraham, and **Beach, Eliot F.** The rôle of cystine, methionine, and homocystine in the nutrition of the rat, 219

—. See STERN and WHITE, 371

Williams, Harold H. See BERNSTEIN, JONES, ERICKSON, WILLIAMS, AVRIN, and MACY, 507

—. See ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY, 515

Wintersteiner, Oskar. See HIRSCHMANN and WINTERSTEINER, 303

Woolley, D. W., and **Peterson, W. H.** The chemistry of mold tissue. XIV. Isolation of cyclic choline sulfate from *Aspergillus sydowi*, 213

— and —. Some observations on the Kapeller-Adler method for the determination of histidine. The histidine content of yeast, 207

Wyckoff, Ralph W. G. An ultracentrifugal study of the pH stability of tobacco mosaic virus protein, 239

Z

Zussman, Hyman. See WALD and ZUSSMAN, 449

INDEX TO SUBJECTS

A

Acetals: Sugars (CAMPBELL and LINK) 635

Acid(s): Unsaturated, methyl hypobromite effect (WEST, KRUMMEL, and CARTER) 605

Age: Blood lipids, effect (LORENZ, ENTENMAN, and CHAIKOFF) 619

Albumin: Egg, activity coefficient, glycine effect (RICHARDS) 727

Alkaloids: Ergot (JACOBS and CRAIG) 419

Allothreonine: *d*-, preparation and nutrition value (WEST and CARTER) 611

dl-, preparation (WEST, KRUMMEL, and CARTER) 605

l-, preparation and nutrition value (WEST and CARTER) 611

Amino acid(s): α-, deamination, structural configuration influence (SNYDER and CORLEY) 491

Aliphatic, ionization, aqueous solution (SMITH, TAYLOR, and SMITH) 109

Basic, metabolism (DOTY and EATON) 139

Catabolism (SNYDER and CORLEY) 491

Amino acid(s)—*continued:*

Keto acid synthesis, acetyl derivative, rôle (DU VIGNEAUD and IRISH) 349

-Related substances, solutions, properties (SMITH, TAYLOR, and SMITH) 109

Salts, complex (BERGMANN) 569

Solutions, thermodynamic properties (SMITH, TAYLOR, and SMITH) 109

Aminoheptane: 3-, norleucine, configurational relationship (LEVENE and KUNA) 291

Amino - β - hydroxy - n - butyric acids: α-, synthesis (WEST, KRUMMEL, and CARTER) 605

(WEST and CARTER) 611

Aminopolypeptidase: Intestine, specificity (JOHNSON) 89

Androgens: Blood lipids, effect (KOCHAKIAN, MACLACHLAN, and MCEWEN) 433

Anticoagulants: Blood, action (CHARGAFF and OLSON) 153

Apparatus: Colorimeter, micro-, photoelectric, absorption cell (EVELYN and GIBSON) 391

Haldane, ether - containing gases (SNYDER) 21

Ascorbic acid: Blood plasma, determination (MINDLIN and BUTLER) 673
Dehydro-, reduction, guinea pig tissue (SCHULTZE, STOTZ, and KING) 395
Oxidation, liver effect (STOTZ, HARRER, SCHULTZE, and KING) 407
Aspergillus sydowi: Choline sulfate, cyclic, isolation (WOOLLEY and PETERSON) 213
Azotobacter: Nitrogen gas, solubility and absorption (LINEWEAVER) 549

B

Bean: Black, proteins (JONES, GERSDORFF, and PHILLIPS) 745
Navy, meal, bromobenzene and *l*-cystine supplement, growth effect (STEKOL) 55
Benzenesulfonamide: *p*-Amino-, biological media, determination (SCUDI) 539
Benzoylglucuronic acid: Chemical constitution (GOEBEL) 649
Bile: Bilirubin determination, oxidative, photoelectric colorimeter (MALLOY and EVELYN) 597
Vitamin D absorption and excretion, effect (HEYMANN) 249
Bilirubin: Bile, determination, oxidative, photoelectric colorimeter (MALLOY and EVELYN) 597
Meconium, determination, oxidative, photoelectric colorimeter (MALLOY and EVELYN) 597
Bilirubin—*continued:*
Blood: Anticoagulant effect, protamine effect (CHARGAFF and OLSON) 153
Coagulation, heparin and anticoagulants, action (CHARGAFF and OLSON) 153
Lipids, age, sex, and ovarian activity, effect (LORENZ, ENTENMAN, and CHAIKOFF) 619
—, androgens, effect (KOCHAKIAN, MACLACHLAN, and MCEWEN) 433
—, extraction and saponification (MAN and GILDEA) 77
—, hemorrhage effect (BOYD and STEVENSON) 147
Muscle, volume determination (EICHELBERGER) 323
Salt and water, muscle and, exchange (EICHELBERGER) 323
Blood cell: Red, posthemolytic residue, lipid distribution (ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY) 515
—, — —, preparation (BERNSTEIN, JONES, ERICKSON, WILLIAMS, AVRIN, and MACY) 507
Blood serum: Lipids, extraction and saponification (MAN and GILDEA) 77
Bone: Water, extracellular and intracellular (IOB and SWANSON) 485
Brain: Carbohydrate metabolism (KERR and ANTAKI) 49
—, narcotics and convulsant

Brain—*continued:*
drugs, effect (KERR and ANTAKI) 49
Phosphocreatine, narcotics and convulsant drugs, effect (KERR and ANTAKI) 49
Phosphorus, rickets (KERR) 53
Bromobenzene: Dietary, growth effect (STEKOL) 55
Butter fat: Acids, determination and characterization (HILDITCH and LONGENECKER) 497
Butyric acids: α-Amino-β-hydroxy-*n*-, synthesis (WEST, KRUMMEL, and CARTER) 605
(WEST and CARTER) 611

C

Calcium: Determination, acidimetric microtitration (SOBEL and SKLERSKY) 665
Diffusible, blood serum and transudates *in vivo* (MILLER) 59
Ionized and total, blood serum and ultrafiltrates, relation (MORISON, MCLEAN, and JACKSON) 439
—, blood serum and transudates *in vivo* (MILLER) 71
Magnesium requirement, growth, gestation, and lactation, relation (TUFTS and GREENBERG) 715
Carbohydrate: Brain, narcotics and convulsant drugs, effect (KERR and ANTAKI) 49
Metabolism, brain (KERR and ANTAKI) 49
Carboxyhemoglobin: Activity coefficient, glycine effect (RICHARDS) 727
Carotenoids: Retina, chicken (WALD and ZUSSMAN) 449
Cartilage: Water, extracellular and intracellular (IOB and SWANSON) 485
Choline sulfate: Cyclic, *Aspergillus sydowi*, isolation (WOOLLEY and PETERSON) 213
Citrulline: *dl*-, synthesis (KURTZ) 477
Clotting: Blood, anticoagulant effect, protamine effect (CHARGAFF and OLSON) 153
—, heparin and anticoagulants, action (CHARGAFF and OLSON) 153
Colorimeter: Micro-, photoelectric, absorption cell (EVELYN and GIBSON) 391
Copper: Blood plasma (BOYDEN and POTTER) 285
Cysteine: Determination, pyruvic acid effect (SULLIVAN and HESS) 11
Oxidation, non-aqueous media (TOENNIES) 27
Sulfenic acid, oxidation product, non-aqueous media (TOENNIES) 27
Cystine: Determination, pyruvic acid effect (SULLIVAN and HESS) 11
Homo-, nutrition, rôle (WHITE and BEACH) 219
l-, dietary, growth effect (STEKOL) 55
—, mercapturic acid synthesis, relation (STEKOL) 333

Cystine—*continued:*
Metabolism (JACKSON and BLOCK) 425
Nutrition, rôle (WHITE and BEACH) 219

D

Dehydroascorbic acid: Reduction, guinea pig tissue (SCHULTZE, STOTZ, and KING) 395
Deuterium: Organic compounds, determination (KESTON, RITTENBERG, and SCHOENHEIMER) 227
Diacetone *d*-galacturonic acid: Methyl ester, catalytic reduction (LEVENE and CHRISTMAN) 661
Dibenzanthracene: Lipid, total, mitochondria, effect (GOERNER) 529
Vitamin A, mitochondria, effect (GOERNER) 529
Dioxalatodianilinochromiato acid: Salts (BERGMANN) 569
Dioxalatodipyridinochromiato acid: Salts (BERGMANN) 569
Drugs: Convulsant, brain carbohydrate and phosphocreatine, effect (KERR and ANTAKI) 49

E

Egg: Albumin, activity coefficient, glycine effect (RICHARDS) 727
Lobster, ovoverdin (STERN and SALOMON) 461
Yolk color, pimiento pigments, effect (BROWN) 655
Electrokinetics: Surface chemistry (MOYER) 641
Electrophoresis: Measurements, microscopic and moving boundary methods, comparison (MOYER) 641
Enzyme(s): *See also* Aminopolypeptidase, Lipase
Ergot: Alkaloids (JACOBS and CRAIG) 419
Erythrocyte: *See* Blood cell, red
Estrogenic diols: Urine, pregnant mares, isolation (HIRSCHMANN and WINTERSTEINER) 303
Ether: -Containing gases, Haldane apparatus (SNYDER) 21

F

Fasting: Phospholipid formation and destruction (PERLMAN, RUBEN, and CHAIKOFF) 169
Urine nitrogen partition (CARPENTER) 343
Fat: Milk lactose utilization relation (SCHANTZ, ELVEHJEM, and HART) 381
Fatty acid(s): Higher, and acid sodium salts, testosterone activation (EHRENSTEIN and COREY) 297
Fibroin: Silk, structure (BERGMANN and NIEMANN) 577
Formic acid: Isobutyryl-, precursors (JACOBS and CRAIG) 419

G

Galactose: *d*-, dimethyl acetal (CAMPBELL and LINK) 635

Galacturonic acid: *d*-, diacetone, methyl ester, catalytic reduction (LEVENE and CHRISTMAN) 661
Galacturonide: 2,3,4-Triacetyl α-methyl-*d*-, methyl ester, catalytic reduction and deacetylation (LEVENE and CHRISTMAN) 203
2,3,4-Trimethyl α-methyl-*d*-, methyl ester, catalytic reduction (LEVENE, TIPSON, and KREIDER) 199
Gas: Ether-containing, Haldane apparatus (SNYDER) 21
Gestation: Magnesium requirement, calcium relation (TUFTS and GREENBERG) 715
Glucuronic acid: Benzoyl-, chemical constitution (GOEBEL) 649
Derivatives (GOEBEL) 649
Glutathione: Mercapturic acid synthesis, relation (STEKOL) 333
Glycerides: Hydrolysis, pancreas lipase, crude (BALLS, MATLACK, and TUCKER) 125
Glycine: Activity coefficient, glycine effect (RICHARDS) 727
Carboxyhemoglobin activity coefficient, effect (RICHARDS) 727
Egg albumin activity coefficient, effect (RICHARDS) 727
Growth: Bromobenzene, dietary, effect (STEKOL) 55
l-Cystine, dietary, effect (STEKOL) 55
Growth—*continued:*
Magnesium requirement, calcium relation (TUFTS and GREENBERG) 715
d-Methionine and formyl derivatives, effect (JACKSON and BLOCK) 425
l-Methionine and formyl derivatives, effect (JACKSON and BLOCK) 425

H

Haldane: Apparatus, ether-containing gases (SNYDER) 21
Hemoglobin: Carboxy-, activity coefficient, glycine effect (RICHARDS) 727
Heparin: Blood anticoagulant action (CHARGAFF and OLSON) 153
Heptane: 3-Amino-, norleucine, configurational relationship (LEVENE and KUNA) 291
Hexoses: Uronic acid conversion (LEVENE, TIPSON, and KREIDER) 199
(LEVENE and CHRISTMAN) 203, 661
Hibernation: Urine nitrogen partition (CARPENTER) 343
Histidine: *d*-, monohydrochloride, absorption rate (DOTY and EATON) 139
Yeast, determination, Kapeller-Adler method (WOOLLEY and PETERSON) 207
Homocystine: Nutrition, rôle (WHITE and BEACH) 219
Hormone: Phyto-, structure and physiological activity (KOEPFLI, THIMANN, and WENT) 763

Hydrogen ion concentration: Tobacco mosaic virus protein, stability (WYCKOFF) 239
Hydrogen sulfide: Sulfur compounds reduced to, intestinal microorganism (ANDREWS) 687

I

Insulin: Acetylation, ketene (STERN and WHITE) 371
Chemical constitution (STERN and WHITE) 371
Intestine: Aminopolypeptidase specificity (JOHNSON) 89
Microorganism, sulfur compounds reduced to hydrogen sulfide (ANDREWS) 687
Vitamin D excretion (HEYMANN) 257
Isobutyrylformic acid: Precursors (JACOBS and CRAIG) 419

K

Ketene: Insulin acetylation (STERN and WHITE) 371
Keto acids: Amino acid synthesis from, acetyl derivative, rôle (DU VIGNEAUD and IRISH) 349

L

Lactation: Lactic acid utilization, mammary gland (GRAHAM) 1
Magnesium requirement, calcium relation (TUFTS and GREENBERG) 715
Lactic acid: Mammary gland, lactating, utilization (GRAHAM) 1
Lactose: Milk, utilization, fat relation (SCHANTZ, ELVEHJEM, and HART) 381
Leucine: Nor-, 3-aminoheptane, configurational relationship (LEVENE and KUNA) 291
Lipase: Pancreas, crude, glyceride hydrolysis (BALLS, MATLACK, and TUCKER) 125
Lipid(s): Blood, age, sex, and ovarian activity, effect (LORENZ, ENTENMAN, and CHAIKOFF) 619
—, androgens, effect (KOCHAKIAN, MACLACHLAN, and MCEWEN) 433
— cell, red, posthemolytic residue, distribution (ERICKSON, WILLIAMS, BERNSTEIN, AVRIN, JONES, and MACY) 515
—, extraction and saponification (MAN and GILDEA) 77
—, hemorrhage effect (BOYD and STEVENSON) 147
— serum, extraction and saponification (MAN and GILDEA) 77
Total, mitochondria, dibenzanthracene effect (GOERNER) 529
Liver: Ascorbic acid oxidation, effect (STOTZ, HARRER, SCHULTZE, and KING) 407
Lobster: Egg, ovoverdin (STERN and SALOMON) 461
Lysine: *d*-, monohydrochloride, absorption rate (DOTY and EATON) 139

M

Magnesium: Deficiency (TUFTS and GREENBERG) 693, 715
Gestation requirement, calcium relation (TUFTS and GREENBERG) 715
Growth requirement, calcium relation (TUFTS and GREENBERG) 715
Lactation requirement, calcium relation (TUFTS and GREENBERG) 715

Mammary gland: Blood nitrogen partition, utilization (GRAHAM, PETERSON, HOUCHIN, and TURNER) 275
Lactating, lactic acid utilization (GRAHAM) 1

Meconium: Bilirubin determination, oxidative, photoelectric colorimeter (MALLOY and EVELYN) 597

Mercapturic acid: Synthesis, animals (STEKOL) 55
—, *l*-cystine, *dl*-methionine, glutathione, and taurine, relation (STEKOL) 333

Metabolism: Carbohydrate, brain (KERR and ANTAKI) 49
Phospholipid, radioactive phosphorus as indicator (PERLMAN, RUBEN, and CHAIKOFF) 169

Methionine: *d*-, and formyl derivatives, growth effect (JACKSON and BLOCK) 425
dl-, mercapturic acid synthesis, relation (STEKOL) 333
l-, and formyl derivatives, growth effect (JACKSON and BLOCK) 425

Methionine—*continued:*
Metabolism (JACKSON and BLOCK) 425
Nutrition, rôle (WHITE and BEACH) 219

Methyl hypobromite: Unsaturated acids, effect (WEST, KRUMMEL, and CARTER) 605

Microorganism: Intestine, sulfur compounds reduced to hydrogen sulfide by (ANDREWS) 687

Mitochondria: Lipid, total, dibenzanthracene effect (GOERNER) 529
Vitamin A, dibenzanthracene effect (GOERNER) 529

Mold: Tissue, chemistry (WOOLLEY and PETERSON) 213
See also Aspergillus sydowi

Mosaic: Tobacco, virus protein, hydrogen ion concentration stability (WYCKOFF) 239

Muscle: Blood volume determination (EICHELBERGER) 323
Salt and water, blood and, exchange (EICHELBERGER) 323
Skeletal, salt and water exchange, volume phases, correction (EICHELBERGER) 323

N

Narcotics: Brain carbohydrate and phosphocreatine, effect (KERR and ANTAKI) 49

Nitrogen: Gas, *Azotobacter*, solubility and absorption (LINEWEAVER) 549
Partition, blood, mammary

Nitrogen—*continued:*
gland, utilization (GRAHAM, PETERSON, HOUCHIN, and TURNER) 275
Urine, partition, fasting and hibernation, effect (CARPENTER) 343
Norleucine: 3 - Aminoheptane, configurational relationship (LEVENE and KUNA) 291

O

Organic compounds: Deuterium, determination (KESTON, RITTENBERG, and SCHOENHEIMER) 227
Ovary: Activity, blood lipids, effect (LORENZ, ENTENMAN, and CHAIKOFF) 619
Ovoverdin: Lobster egg (STERN and SALOMON) 461

P

Pancreas: Lipase, crude, glyceride hydrolysis (BALLS, MATLACK, and TUCKER) 125
Peanut: Proteins, nutritive value (BAERNSTEIN) 781
Peptidase: Aminopoly-, intestine, specificity (JOHNSON) 89
Peptides: Salts, complex (BERGMANN) 569
Phaseolus vulgaris: *See* Bean, black
Phosphocreatine: Brain, narcotics and convulsant drugs, effect (KERR and ANTAKI) 49
Phospholipid(s): Formation and destruction, fasting animal
Phospholipid(s)—*continued:*
(PERLMAN, RUBEN, and CHAIKOFF) 169
Metabolism, radioactive phosphorus as indicator (PERLMAN, RUBEN, and CHAIKOFF) 169
Phosphorus: Brain, rickets (KERR) 53
Radioactive, phospholipid metabolism indicator (PERLMAN, RUBEN, and CHAIKOFF) 169
Pigment: Carotenoid-protein, lobster egg (STERN and SALOMON) 461
Pimiento, egg yolk color, effect (BROWN) 655
Pimiento: Pigments, egg yolk color, effect (BROWN) 655
Plant: Hormones, structure and physiological activity (KOEPFLI, THIMANN, and WENT) 763
Potassium: Determination, Shohl-Bennett method (HARTZLER) 19
Pregnancy: Urine, estrogenic diols, isolation (HIRSCHMANN and WINTERSTEINER) 303
See also Gestation
Protamine: Blood anticoagulants, effect (CHARGAFF and OLSON) 153
Protein(s): Bean, black (JONES, GERSDORFF, and PHILLIPS) 745
Peanut, nutritive value (BAERNSTEIN) 781
Tobacco, mosaic virus, hydrogen ion concentration stability (WYCKOFF) 239

Pyruvic acid: Cysteine determination, effect (SULLIVAN and HESS) 11
Cystine determination, effect (SULLIVAN and HESS) 11
Precursors (JACOBS and CRAIG) 419

R

Retina: Carotenoids, chicken (WALD and ZUSSMAN) 449

Rickets: Brain phosphorus (KERR) 53

S

Salt: Blood and muscle, exchange (EICHELBERGER) 323

Sex: Blood lipids, effect (LORENZ, ENTENMAN, and CHAIKOFF) 619

Silk: Fibroin, structure (BERGMANN and NIEMANN) 577

Sugar(s): Acetals (CAMPBELL and LINK) 635

Sulfanilamide: Biological media, determination (SCUDI) 539
Blood, determination (MARSHALL) 263
— filtrates, determination, sodium β-naphthoquinone-4-sulfonate (SCHMIDT) 757
Urine, determination (MARSHALL) 263

Sulfenic acid: Cysteine oxidation product, non-aqueous media (TOENNIES) 27

Sulfur: Compounds, reduction to hydrogen sulfide, intestinal microorganism (ANDREWS) 687

T

Taurine: Mercapturic acid synthesis, relation (STEKOL) 333

Testosterone: Activation, fatty acids, higher, and acid sodium salts (EHRENSTEIN and COREY) 297

Threonine: *d*-Allo-, preparation and nutrition value (WEST and CARTER) 611
dl-Allo-, preparation (WEST, KRUMMEL, and CARTER) 605
l-Allo-, preparation and nutrition value (WEST and CARTER) 611

Tobacco: Mosaic virus protein, hydrogen ion concentration stability (WYCKOFF) 239

Tocopherols: Chemistry (EMERSON, EMERSON, MOHAMMAD, and EVANS) 99

Transudate: Calcium, diffusible, *in vivo* (MILLER) 59
—, ionized, *in vivo* (MILLER) 71

2,3,4-Triacetyl α-methyl-*d*-galacturonide: Methyl ester, catalytic reduction and deacetylation (LEVENE and CHRISTMAN) 203

2,3,4-Trimethyl α-methyl-*d*-galacturonide: Methyl ester, catalytic reduction (LEVENE, TIPSON, and KREIDER) 199

U

Urine: Estrogenic diols, pregnant mares, isolation (HIRSCHMANN and WINTERSTEINER) 303

Uronic acids: Hexoses, conversion (LEVENE, TIPSON, and KREIDER) 199
(LEVENE and CHRISTMAN) 203, 661

V

Virus: Tobacco mosaic protein, hydrogen ion concentration stability (WYCKOFF) 239
Vitamin: A, mitochondria, dibenzanthracene effect (GOERNER) 529
B complex (SCHULTZ and MATTILL) 183
D absorption and excretion, bile effect (HEYMANN) 249
—, excretion, intestine (HEYMANN) 257
Vitamin—*continued:*
E, chemistry (EMERSON, EMERSON, MOHAMMAD, and EVANS) 99

W

Water: Blood and muscle, exchange (EICHELBERGER) 323
Extracellular and intracellular, bone and cartilage (IOB and SWANSON) 485

Y

Yeast: Histidine determination, Kapeller-Adler method (WOOLLEY and PETERSON) 207